


WHAT IS CLAIMED IS:

1. A lubricant composition comprising at least one compound selected from the group represented by a formula (1);

5 Formula (1)




where D represents an m-valent cyclic group capable of bonding to "m" of -X-R; Xs respectively represent a single bond or a bivalent linking group selected from the group consisting of NR¹, where R¹ is a hydrogen atom or a C₁₋₃₀ alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; Rs respectively represent a substituted or non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one R contains an ester bond; and
15 m is an integer from 2 to 11.

2. The lubricant composition of claim 1, wherein D is selected from five-, six- or seven-membered heterocyclic groups.

20 3. The lubricant composition of claim 1, wherein the compound is selected from the group represented by a formula (2);


Formula (2)



where X^1 , X^2 and X^3 respectively represent a single bond or a bivalent linking group selected from the group consisting of NR^1 , where R^1 is a hydrogen atom or a C_{1-30} alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; and R^{11} , R^{12} and R^{13} respectively represent a substituted or non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one of R^{11} , R^{12} and R^{13} contains an ester bond.

4. The lubricant composition of claim 1, wherein the compound is selected from the group represented by a formula (3);


Formula (3)



where X^{21} , X^{22} and X^{23} respectively represent a single bond or a bivalent linking group selected from the group consisting of NR^1 , where R^1 is a hydrogen atom or a C_{1-30} alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; R^{21} , R^{22} and R^{23} respectively represent a substituent group provided that at least one of R^{21} , R^{22} and R^{23} contains an ester bond; and a_{21} , a_{22} and a_{23} respectively represent an integer from 1 to 5.

5. A triazine-ring-containing compound represented by a formula (2);


Formula (2)



5 where X^1 , X^2 and X^3 respectively represent a single bond or a bivalent linking group selected from the group consisting of NR^1 , where R^1 is a hydrogen atom or a C_{1-30} alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; and R^{11} , R^{12} and R^{13} respectively represent a substituted or
 10 non-substituted alkyl group, alkenyl group, alkynyl group, aryl group or heterocyclic group provided that at least one of R^{11} , R^{12} and R^{13} contains an ester bond.

6. The triazine-ring-containing compound of claim 5, which
 15 is represented by a formula (3);


Formula (3)



where X^{21} , X^{22} and X^{23} respectively represent a single bond or a bivalent linking group selected from the group consisting of NR^1 , where R^1 is a hydrogen atom or a C_{1-30} alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof; R^{21} , R^{22} and R^{23} respectively represent a substituent group provided that at least one of R^{21} , R^{22} and R^{23} contains an ester bond; and a_{21} , a_{22} and a_{23} respectively represent an integer from 1 to 5.

7. The triazine-ring-containing compound of claim 6, wherein at least one of R^{21} , R^{22} and R^{23} is selected from the group represented by a formula (4);


Formula (4):



where L^{01} is a bivalent linking group selected from the group consisting of an alkylene group, NR^1 , where R^1 is a hydrogen atom or a C_{1-30} alkyl group, oxygen, sulfur, carbonyl, sulfonyl and any combinations thereof and the bivalent linking group may be substituted or non-substituted; R^{01} is a substituted or non-substituted C_{1-30} alkyl group; and p and q respectively represent an integer.

8. The triazine-ring-containing compound of claim 6, wherein at least one of R^{21} , R^{22} and R^{23} is selected from the group represented by a formula (5);


Formula (5)



where R^{01} is a substituted or non-substituted C_{1-30} alkyl group, and m and n respectively represent an integer.

9. The triazine-ring-containing compound of claim 6,
5 wherein at least one of R^{21} , R^{22} and R^{23} is selected from the group represented by a formula (6);

Formula (6):



where R^{25} is a substituent group and a24 is an integer from
10 1 to 5.